


Reltech Standard Wall Skimmer Box. SKBXSTD


- ★ Made of ABS thermoplastic, UV coated to give excellent strength and durability, the standard wall skimmer boxes are suitable for all types of domestic swimming pool installations. Each unit has in-build overflow port, and high capacity basket.
- ∴ Outlet port is 50mm with 40mm knockout available.
- ★ Each Standard Wall Skimmer Box comes with round lid, weir door and vacuum plate.
- ★ Basket & Vacuum plate neatly secured simply by rotating parts into place.




Optional Parts.

- ★ Extension Ring
- ★ Square Dress Ring
- :: Wide mouth wall skimmer


Extension Ring




Round Dress Ring




Square Dress Ring



Dimensions






EMEMI 00510




Exploded Diagram For Standard Skimmer Box



Key NO.	Part Number	Product Description		
1	01211034	Lid		
2	01050009	Plug for Lid		
3	01211035	Round Dress Ring	1	
	01211036	Square Dress Ring	1	
4	01051023	1.5" Plug	1	
5	01050007	Vacuum Hose Connector	1	
6	01051180	Vacuum Plate	1	
7	89150501	Basket With Plastic Handle	1	
8	01050004	Height Extension	1	
9	89150503	Standard & Wide Mouth Skimmers Body	1	
10	89150502	Weir Door	1	
10-1	01050006	Lock		
10-2	03014017	AISI 316 Spring		
10-3	01050005	Pin		
11	02020021	Gasket for Standard Skimmer		
12	01051184	Frame for Standard Skimmer		
13	03011300	M5.5*30 SS#316 Screws	14	
14	01051185	Standard Skimmer Face Plate	1	
15	01170009	1.5" Union Convertor (from Metric to Imperial)	1	
16	01170007	2.0" Threaded Union	1	
17	01170008	2.0" Union Convertor (from Metric to Imperial)	1	
18	01170023	2.0" Elbow Union	1	

Exploded Diagram For Wide Mouth Skimmer Box




Key NO.	Part Number	Product Description	QTY
1	01211034	Lid	
2	01050009	Plug for Lid	
3	01211035	Round Dress Ring	1
	01211036	Square Dress Ring	1
4	01051023	1.5" Plug	1
5	01050007	Vacuum Hose Connector	1
6	01051180	Vacuum Plate	
7	89150501	Basket With Plastic Handle	
8	01050004	Height Extension	
9	89150503	Standard & Wide Mouth Skimmers Body	1
10	89150502	Weir Door	1
10-1	01050006	Lock	1
10-2	03014017	AISI 316 Spring	
10-3	01050005	Pin	
11	01051183	Wide Mouth Extension	
12	02020022	Gasket for Wide Mouth Skimmer	
13	01051187	Frame for Wide Mouth Skimmer	1
14	03011300	M5.5*30 AISI 316 Screws	16
15	01051188	EM0040 Standard Skimmer Face Plate	1
16	01170009	1.5" Union Convertor (from Metric to Imperial)	1
17	01170007	2.0" Threaded Union	1
18	01170008	2.0" Union Convertor (from Metric to Imperial)	1
19	01170023	2.0" Elbow Union	1



Reltech Wide Mouth Skimmer Box SKBXEXT


- ★ Made of ABS thermoplastic, UV coated to give excellent strength and durability, the Wide Mouth wall skimmer boxes are suitable for all types of domestic swimming pool installations. Each unit has inbuild overflow port, and high capacity basket.
- ★ Outlet port is 50mm with 40mm knockout available.
- ★ Each Wide Mouth Wall Skimmer Box comes with round lid, weir door and vacuum plate.
- Basket & Vacuum plate neatly secured simply by rotating parts into place.




Optional Parts.

- x Extension Ring
- ★ Round Dress Ring
- × Square Dress Ring


Extension Ring




Round Dress Ring




Square Dress Ring



Dimensions







Installation details.

- ★ Skimmer box to be mounted horizontally
- Ensure fascia gasket is secured with stainless steel screws (supplied) and sealant applied around opening to ensure it is water tight.
- ➤ Pack sand or material around skimmer box during pool installation, care must taken when using heavy machinery. Secure pipework with back fill as needed.

Specifications

Model No.	Max. Surface Area	Basket Capacity	Suction Port	Overflow Port
SKBXSTD	55.74m²	4.26L	40mm / 50mm	25mm
SKBXEXT	55.74m²	4.26L	40mm / 50mm	25mm

If your pool area is bigger than the maximum surface area mentioned in the specification, additional skimmer box is necessary.

Model No.	Overall Height	Depth	Weight
SKBXSTD	607 mm	482mm	5.96kg / 5.39kg
SKBXEXT	575 mm	473mm	4.39kg / 4.04kg

